




Data sheet MODULAR ROUNDBABOUTS



CHARACTERISTICS



Specially designed by modules in recycled and recyclable plastics, to facilitate the construction of roundabouts, giving aesthetics and safety to our cities. With a fixing system through anchor screws and a very high resistance to water and ultraviolet rays. They do not require maintenance, absorb impacts, maintaining a long useful life and lower after-sales costs.

COLORS



MODULE DIMENSIONS

X = Variable dimension depending on the diameter
Module measurements in CM





MEASURES

OUTSIDE/INSIDE DIAMETER

Ext 5,10 m - Int 3,10 m	Ext 12,00 m - Int 10,00 m
34 Modules of 47,1 x 28,63 x 100 cm (68 required anchor bolts)	80 Modules 47,1 x 39,3 x 100 cm (160 required anchor bolts)
Ext 6,60 m - Int 4,60 m	Ext 13,80 m - Int 11,80 m
22 Modules 47,1 x 28,63 x 100 cm 22 Modules de 47,1 x 37,6 x 100 cm (88 required anchor bolts)	46 Modules of 47,1 x 37,6 x 100 cm 46 Modules de 47,1 x 43,3 x 100 cm (184 required anchor bolts)
Ext 7,20 m - Int 5,20 m	Ext 15,00 m - Int 13,00 m
24 Modules of 47,1 x 28,63 x 100 cm 24 Modules of 47,1 x 39,3 x 100 cm (96 required anchor bolts)	50 Modules de 47,1 x 41,9 x 100 cm 50 Modules de 47,1 x 39,3 x 100 cm (200 required anchor bolts)
Ext 7,65 m - Int 5,65 m	Ext 15,90 m - Int 13,90 m
26 Modules de 47,1 x 28,63 x 100 cm 26 Modules de 47,1 x 41,2 x 100 cm (104 required anchor bolts)	106 Modules de 47,1 x 41,2 x 100 cm (212 required anchor bolts)
Ext 8,30 m - Int 6,34 m	Ext 18,00 m - Int 16,00 m
28 Modules de 47,1 x 28,63 x 100 cm 28 Modules de 47,1 x 42,4 x 100 cm (112 required anchor bolts)	120 Modules de 47,1 x 41,9 x 100 cm (240 required anchor bolts)
Ext 9,90 m - Int 7,90 m	Ext 20,10 m - Int 18,10 m
66 Modules de 47,1 x 37,6 x 100 cm (132 required anchor bolts)	134 Modules de 47,1 x 42,4 x 100 cm (268 required anchor bolts)
Screw Measurements (10 x 140 mm)	





PROPERTIES

- Recycled and recyclable material.
- Resistant, flexible and solid.
- Absorbs impacts.
- Thermal and electrical insulation.
- Minimum maintenance, not splinterable, nor oxidizable.
- Easy handling and quick assembly, far superior to concrete roundabouts or roundabouts.
- Inert to environmental, chemical degradation and putrefaction.
- Ecological and non-polluting.
- Sterile, hygienic, easy to clean and vandal resistant.
- Almost unlimited durability.
- Easily walkable by cars, not being an obstacle for them.

SPECIFICATIONS

Design

Timeless or contemporary style elements that combine a global vision that is perfect for any setting in our cities.

Quality

Products manufactured under the highest EU quality standards to ensure durability and functionality in adverse conditions.

Products with a long life and totally respectful with the environment.



HEAD OFFICE

Travessia Street, 15B, building Innsomnia,
46024, Valencia. Spain.
Phone(+34) 656 71 69 84
info@abadecom.com – www.abadecom.com



Delegation Colombia

Cra. 19 N°. 166-52, Bogotá, Colombia.

Delegation North

Pontevedra. Galicia. Spain

Delegation Costa Rica

100 Street, avenue 23B # 25
Pavas, San José. Costa Rica

Delegation Paraguay

Chile Street, number 980,
Catedral, Asunción, Paraguay.



Delegation Portugal

Rua Prof. Henrique de Barros, 4,
Prior Velho. Lisboa. Portugal